

AMENDMENTS TO THE CLAIMS:

This listing of the claims will replace all prior versions, and listings, of the claims in this application.

Listing of Claims:

1. (Currently Amended) ~~A mobile device~~ An apparatus, ~~for initiating the transfer of a personal collection of data and/or settings to/from a remote server~~, comprising:
a processor and a transceiver means arranged configured to transmit an initiation message to ~~the a remote server for initiating the~~ to initiate a setting-up of a session between the server and the ~~device~~ apparatus, and
the processor and the transceiver further configured to respond to the setting-up of the session, to by the server, for the transfer of a personal collection of at least one of data and/or and settings between the device apparatus and the server.
2. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim1, further comprising:
a memory for storing configured to store a data structure organised organized as a hierarchical management tree comprising a user management object defining the personal collection of at least one of data and/or and settings, wherein the user management object is a hierarchical tree structure comprising leaf nodes, defining in combination the personal collection ~~of data and/or settings~~, and interior nodes, wherein each interior node and each leaf node depends from a single interior node and each leaf node has a value representing a portion of the personal collection ~~of data and or settings~~; and
a control means for adapting said processor further configured to adapt the structure and content of the user management object.
3. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 2, wherein the personal collection of at least one of data and/or and settings is transferred or copied as a

description of the user management object or a portion of the user management object.

4. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 2, ~~arranged to configured to~~ create a hierarchical menu structure from the user management object by which a user can navigate to selectable options.

5. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 1, wherein the initiation message is an upload initiation message ~~for initiating to initiate~~ the setting-up of a session between the server and the ~~device, by the server,~~ apparatus for the transfer of ~~a the~~ personal collection of at least one of data and/or and settings from the ~~device~~ apparatus to the server, the upload initiation message comprising a parameter identifying the data to be uploaded and a parameter identifying ~~the~~ a user.

6. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 5, wherein the upload initiation message further comprises a parameter identifying a PIN code.

7. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 6, further comprising a user input for entry of the PIN code.

8. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 5, wherein the parameter identifying the data to be uploaded identifies a node of a data structure ~~organised~~ organized as a hierarchical nodular tree structure.

9. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 1, further comprising

a memory ~~for storing~~ configured to store a data structure ~~organised~~ organized as a hierarchical management tree comprising a user management object defining the personal collection of at least one of data and/or and settings, wherein the management object is a hierarchical tree structure comprising leaf nodes, defining in combination the personal collection of at least

one of data and/or and settings, and interior nodes, wherein each interior node and each leaf node depends from a single interior node and each leaf node has a value representing a portion of the personal collection ~~of data and or settings~~; and

~~control means for adapting a processor configured to adapt~~ the structure and content of the user management object, ~~arranged to create~~ comprising creating a hierarchical menu structure from the user management object by which a user can navigate to selectable options, and wherein the initiation message is an upload initiation message ~~for initiating to initiate~~ the setting-up of a session between the server and the ~~device~~ apparatus, by the server, for the transfer of a personal collection of at least one of data and/or and settings from the ~~device~~ apparatus to the server, the upload initiation message comprising a parameter identifying the data to be uploaded and a parameter identifying the user, and wherein the parameter identifying the data to be uploaded identifies a node of a data structure ~~organised~~ organized as a hierarchical nodular tree structure, and wherein the menu enables ~~the a~~ a user selection of the identified node.

10. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 5, wherein the parameter identifying the user is provided automatically, without user intervention, by the ~~device~~ apparatus.

11. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 1, wherein the initiation message is a download initiation message ~~for initiating to initiate~~ the setting-up of a session between the server and the ~~device~~ apparatus, by the server, for the transfer of ~~a the~~ a personal collection of at least one of data and/or and settings from the server to the ~~device~~ apparatus, the upload initiation message comprising a parameter identifying the user.

12. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 11, wherein the upload initiation message further comprises a parameter identifying a PIN code.

13. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 12, further

comprising a user input ~~for entry of~~ configured to accept the PIN code.

14. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 11, wherein the parameter identifying the user is provided automatically, without user intervention, by the ~~device~~ apparatus.

15. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 1, ~~arranged~~ configured to transfer first portions of the personal collection of at least one of data ~~and/or~~ and settings by copying, and to transfer second portions of the personal collection of data by moving.

16. (Currently Amended) ~~A mobile device~~ An apparatus as claimed in claim 1 ~~arranged~~ configured to receive a smart card, wherein the ~~device~~ apparatus comprises ~~detection means~~ for detecting a detector configured to detect when the received smart card is changed, and a control means processor, responsive to the detection of the change of a smart card by the ~~detection means~~ detector, configured to control the transceiver ~~means~~ to transmit an initiation message to the server.

17. (Currently Amended) A server, ~~for transferring a user's collection of personal data and/or settings to/from a remote device~~, comprising:
a transceiver ~~means for communicating~~ configured to communicate with a remote device identified in a received initiation message, to set-up a session between the server and the identified device ~~for the~~ to transfer at least one of a personal collection of at least one of data ~~and/or~~ and settings between the device and the server.

18. (Currently Amended) A server as claimed in claim 17, comprising a memory storing a database, wherein the server is responsive to a received initiation message, identifying data to be uploaded and ~~the~~ a user of the device, to create a record in the database for the identified user.

19. (Currently Amended) A server as claimed in claim 18, wherein the received initiation message further identifies a PIN code, and comprising the server ~~being arranged~~ configured to secure the created record using the PIN code.

20. (Previously Presented) A server as claimed in claim 18, wherein the server issues a command to the device, during the session between the server and the device, identifying the data to be uploaded.

21. (Currently Amended) A server as claimed in claim 20, wherein the command identifies a node of a data structure ~~organised~~ organized as a hierarchical nodular tree structure.

22. (Currently Amended) A server as claimed in claim 18, wherein the created database record stores a description of a hierarchical nodular tree structure, ~~that includes~~ comprising at least one of the a user's personal collection of data ~~and/or~~ or settings, received from the device during the session.

23. (Currently Amended) A server as claimed in claim 17, comprising a memory ~~storing~~ configured to store a database, wherein the server is responsive to a received download initiation message, identifying ~~the a~~ a user of the device, to access a record in the database for the identified user.

24. (Original) A server as claimed in claim 23, wherein the access to the record is conditional upon a PIN code included in the download initiation message.

25. (Currently Amended) A server as claimed in claim 23, wherein the accessed record stores a description of a hierarchical nodular tree structure that includes at least one of that user's personal collection of data ~~and/or~~ and settings, and comprising the server is ~~arranged~~ configured to transfer the description to the device during the session.

26. (Cancelled)

27. (Currently Amended) A memory configured to store a data structure ~~organised~~ organized as a hierarchical management tree comprising a user management object defining a personal collection of at least one of data and/or and settings, wherein the management object is a hierarchical tree structure comprising leaf nodes, defining in combination the personal collection of the at least one of data and/or and settings, and interior nodes, wherein each interior node and each leaf node depends from a single interior node and each leaf node has a value representing a portion of the personal collection of data and or settings.

28. (Currently Amended) A memory configured to store the data structure as claimed in claim 27, further comprising a root node wherein the user management object depends from the root node and a plurality of other management objects depend from the root node.

29. (Currently Amended) The use of a data structure as claimed in claim 27, to create a hierarchical menu structure representing at least one of the user's personal collection of data ~~and/or and~~ settings.

30. (Currently Amended) A method comprising:
~~of~~ personalizing a second device comprising ~~the steps of:~~
uploading a personal collection of data and settings from a first device to a server for storage;
and
downloading a stored personal collection of data and settings from the server to a second device.

31. (Cancelled)

32. (Cancelled)

33. (New) The apparatus of claim 1 embodied in a mobile device.

34. (New) A method, comprising:

transmitting an initiation message to a remote server in order to initiate a setting-up of a session with the server, and
in response to setting-up the session, transferring a personal collection of at least one of data and settings to the server.

35. (New) The method as claimed in claim 34, further comprising

storing a data structure organized as a hierarchical management tree comprising a user management object defining the personal collection, wherein the management object is a hierarchical tree structure comprising leaf nodes, defining in combination the personal collection of at least one of data and settings, and interior nodes, wherein each interior node and each leaf node depends from a single interior node and each leaf node has a value representing a portion of the personal collection of data and settings; and

adapting the structure and content of the user management object, to create a hierarchical menu structure from the user management object by which a user can navigate to selectable options, wherein the initiation message is an upload initiation message in order to initiate the setting-up of a session with the server, for the transfer of the personal collection of at least one of data and settings to the server, the upload initiation message comprising a parameter identifying the data to be uploaded and a parameter identifying the user, and wherein the parameter identifying the data to be uploaded identifies a node of a data structure organized as a hierarchical nodular tree structure, and wherein the menu enables a user selection of the identified node.

36. (New) A computer readable medium encoded with a computer program executable by a processor to perform actions comprising:

transmitting an initiation message to a server in order to initiate a setting-up of a session with the server, and

S.N.: 10/537,948
Art Unit: 2617

in response to setting-up the session, transferring a personal collection of at least one of data and settings to the server.